

Honda Motorcycle and Scooter India Pvt. Ltd.

Registered Office: Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana) Visit us at: www.honda2wheelersindia.com Customer Care: customercare@honda2wheelersindia.com

Dealer Stamp:



HONDA_Dio Brochure_11.75x8.25

KEEP

The new Honda Dio is here.

2

MAIT

With a sportier look and aggressive design, it's time to express your attitude in the streets. DIO your sporty side, DIO some thrills and then, 'Keep DIOing It'.



HONDA_Dio Brochure_11.75x8.25



NEW FULLY DIGITAL METER*

Get precise measures from real-time mileage to average mileage. Track updates about 'distance to empty' on the go. REAL TIME MILEAGE
AVERAGE MILEAGE
DISTANCE TO EMPTY
SERVICE DUE INDICATOR
3-STEP ECO INDICATOR

SILENT START WITH ACG

The ACG starter in your Honda DIO removes gear meshing for a start as silent as a wild cat on the hunt. It also helps to reduce engine maintenance.

eSP TECHNOLOGY

Get ready for one hell of a ride with the new Honda DIO. It is powered by the globally acclaimed Enhanced Smart Power Technology for a silent start, more mileage and less friction for the best riding experience.



PROGRAMMED FUEL INJECTION

257

The sensor based PGM-FI system constantly injects optimum fuel with air which delivers an efficient combustion and results in consistent power output and more mileage.

SIDE STAND ENGINE CUT OFF^

A revolutionary system that cuts off the engine when the side stand is engaged.



HET BS VI ENGINE

The advanced HET engine delivers an unmatched performance and also contributes to a cleaner environment.

5



6

TELESCOPIC SUSPENSION AND 12" FRONT WHEEL

The new Honda DIO is equipped with a Telescopic Suspension for less shock and more awe while riding. Its 12" Front Wheel helps to negotiate with the nastiest potholes while providing a better road grip & excellent handling conditions. -7

EXTERNAL FUEL LID

No more hassles of lifting your seat. Take a stand for refuelling, without having to leave your seat.

ENGINE START/STOP SWITCH

Switch to the better way of riding. Start and stop the engine with just a click.

RETRACTABLE PILLION FOOT STEP

For the ones sitting behind, the ride now becomes a 'pillion times' more comfortable.



PASSING SWITCH

lts your ride's way of saying 'give me way'. Speak on the go without saying a word. HONDA

6



HONDA

NEW DESIGNED POSITION LAMP

The signature LED position lamp delivers a dashing look to the ride and adds a dash of style on the rider.

NEW FIERCE LED HEADLAMP*

• For those swanky riders of the dark, the ultra stylish LED gives you a clear view of the road.

SPLIT GRAB RAIL

Better grip meets gripping design. The cool and edgy looking split grab rail in the new Honda DIO makes it look like a complete stunner.



UNDERSEAT STORAGE

Lift your seat upright and you have a place to perfectly store your stuff. Be it your headphone, notebook or DSLR, put it in and ride wherever.

🖉 STYLISH MUFFLER PROTECTOR

The stylish muffler protector in DIO makes it look really cool while protecting the feet from feeling the heat.



New Dio is available in 2 different variants

FEATURE	DELUXE	STANDARD
Silent Start	Yes	Yes
PGM-FI	Yes	Yes
Headlamp	LED	Halogen Bulb
Meter Console	Full Digital	Analog
Double Lid External Fuel Fill	Yes	Yes
Intelligent Display (Real time mileage, distance to empty & average mileage)*	Yes	_
Side Stand Engine Cut Off	Optional	Optional
Engine Start/Stop Switch	Yes	Yes
Wheel Colour	Gold	Black
3-Step Eco Indicator	Yes	No

• +The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • Dio meets Bharat Stage VI norms • Product shown in the picture may vary from actual product available in the market • Accessories shown in the picture are not part of standard equipment • "The technical specifications mentioned are for Deluxe variant • *Available in deluxe variant only. Distance to empty, real time and average mileage readings may vary as per riding conditions • All features and colours may not be part of all variants • **Conditions apply. ^Available as optional.

Technical Specifications#

BODY DIMENSIONS		ENGINE	
Length	1808 mm	Туре	Fan Cooled, 4 Stroke, SI Engine
Width	723 mm	Displacement	109.51 сс
Height	1150 mm	Max Net Power	5.71 kW @ 8000 rpm
Wheel Base	1260 mm	Max Net Torque	9 N-m @ 4750 rpm
Ground Clearance	160 mm	Bore	47.0 mm
Seat Length	650 mm	Stroke	63.1 mm
Kerb Weight	105 kg	Fuel System	PGM-FI
Fuel Tank Capacity	5.3 L	Compression Ratio	10.0+0.2
TRANSMISSION		Air Filter Type	Viscous Paper Filter
Clutch Type	Automatic	Starting Method	Kick/self
TYRES & BRAKES		FRAME & SUSPENSIO	N
Tyre Size (Front)	90/90-12 54J	Frame Type	Under Bone
Tyre Size (Rear)	90/100-10 53J	Front	Telescopic Suspension
Tyre Type (Front)	Tubeless	Rear	3-Step Adjustable
Tyre Type (Rear)	Tubeless		Spring Loaded Hydraulic
Brake Type & Size (Front)	Drum 130 mm	ELECTRICALS	
Brake Type & Size (Rear)	Drum 130 mm	Battery	3.0 Ah
		Headlamp	LED

BEST DEAL HONDA Buy. Sell. Exchange

ALWAYS WEAR HONDA RIDING





Other Honda Shield Products** Annual Maintenance Contract Road Side Assistance Engine Health Assurance

Follow us on



11